



technical sheet

MADE IN ITALY



LIGHT TECH AC



DIESEL



ACCESSORIES for all versions

- 115V-60Hz motor on request

FEATURES	60 litre	80 litre	100 litre
Voltage AC [V, Hz]	230, 50	230, 50	230, 50
Current max [A]	2.4	3.5	4.1
Power [W]	550	800	950
Motor protection	IP 55	IP 55	IP 55
On/Off Switch	Yes	Yes	Yes
Cable [m]	2	2	2
Duty Cycle [min]	S2 30	S2 30	S2 30
Nominal Flow Rate [l/min / GPM]	60 / 15,85	80 / 21,13	100 / 26,42
Max Pressure [bar / psi]	2 / 29	2.5 / 36	2.5 / 36
Dry Suction height [m]:	4	2	2
Internal By-Pass	Yes	Yes	Yes
Inlet [BSP/G]	1" F	1" F	1" F
Outlet [BSP/G]	1" F	1" F	1" F
Pump body material	Cast Iron	Cast Iron	Cast Iron
Impeller material	Sintered Steel	Sintered Steel	Sintered Steel
Vanes material	POM	POM	POM
Ring material	HNBR	HNBR	HNBR
Gasket material	NBR	NBR	NBR
Discharge hose [material, Ø, m, fittings]	rubber, 20, 4, 1"x1"	rubber, 25, 4, 1"x1"	rubber, 25, 4, 1"x1"
Nozzle	automatic / manual	automatic / manual	automatic / manual
Internal filter	Yes	Yes	Yes
Motor support	Yes	Yes	Yes
Min/Max Temperature [°C]	-20/+50	-20/+50	-20/+50
Fluid viscosity [cSt]	2 ÷ 5	2 ÷ 5	2 ÷ 5
Allowed fluids	diesel	diesel	diesel
Forbidden fluids	gas, alcohol, water, gasoline, kerosene		
Loudness at less 1 meter [dB]	< 70	85	85
Net weight [kg]	13.5	20.5	20.5
Gross weight [kg]	14	21	21



Adam Pumps S.p.A.
 via della Resistenza 46/48
 41011 Campogalliano (MO) - ITALIA
 tel. +39 059 528 128 | fax +39 059 528 437
 info@adampumps.com | www.adampumps.com



technical sheet

MADE IN ITALY



LIGHT TECH DC



DIESEL



ACCESSORIES for all versions

- 4 m cable on request (for 12 / 24V DC versions only)

FEATURES	40L 12V	40L 24V
Voltage DC [V]	12	24
Current max [A]	21	13
Fusibile [A]	30	20
Power [W]	252	312
Motor protection	IP 55	IP 55
On/Off Switch	Yes	Yes
Cable [m]	2	2
Duty Cycle [min]	S2 30	S2 30
Nominal Flow Rate [l/min / GPM]	40 / 10,57	40 / 10,57
Max Pressure [bar / psi]	1.3 / 19	1.3 / 19
Dry Suction height [m]:	2	2
Internal By-Pass	Yes	Yes
Inlet [BSP/G]	3/4" F	3/4" F
Outlet [BSP/G]	1" F	1" F
Pump body material	Cast Iron	Cast Iron
Impeller material	Sintered Steel	Sintered Steel
Vanes material	POM	POM
Ring material	HNBR	HNBR
Gasket material	NBR	NBR
Discharge hose [material, Ø, m, fittings]	rubber, 20, 4, 1"x1"	rubber, 20, 4, 1"x1"
Nozzle	automatic / manual	automatic / manual
Internal filter	no	no
Motor support	Yes	Yes
Min/Max Temperature [°C]	-20/+50	-20/+50
Fluid viscosity [cSt]	2 ÷ 5	2 ÷ 5
Allowed fluids	diesel	diesel
Forbidden fluids	gas, alcohol, water, gasoline, kerosene	
Loudness at less 1 meter [dB]	75	75
Net weight [kg]	9.5	9.5
Gross weight [kg]	10	10



Adam Pumps S.p.A.
 via della Resistenza 46/48
 41011 Campogalliano (MO) - ITALIA
 tel. +39 059 528 128 | fax +39 059 528 437
 info@adampumps.com | www.adampumps.com




vista esplosa - exploded view

MADE IN ITALY 

LIGHT TECH 40L

	CODE		KIT	QTY
	12 V	24 V		
1	121500700000	121500700000	FILTER Ø25	1
2	TUB190431	TUB190431	DELIVERY Ø19 4M 1" X 3/4"	1
3	PT1GX25	PT1GX25	MANUAL NOZZLE	1
4	DC402200	DC404200	PUMP C-TECH 40	1



Adam Pumps S.p.A.
via della Resistenza 46/48
41011 Campogalliano (MO) - ITALIA
tel. +39 059 528 128 | fax +39 059 528 437
info@adampumps.com | www.adampumps.com




vista esplosa - exploded view

MADE IN ITALY 

LIGHT TECH 60-100L

	70L	80L	100L	DESCRIPTION	QTY
1	PA7A00	PA8000	PA1007	PUMP	1
2	91505270000	91505270000	91505270000	CLAMP 20x32	1
3	TUB250431	TUB250431	TUB250431	RUBBER HOSE	1
4	240015025000	240015025000	240015025000	HOSE STEM 1x25	1
5	190050210000	190050210000	190050210000	SWITCH 22X30	1
6	PT1GX25	PT1GX25	PT1GX25	MANUAL NOZZLE	1




Adam Pumps S.p.A.
via della Resistenza 46/48
41011 Campogalliano (MO) - ITALIA
tel. +39 059 528 128 | fax +39 059 528 437
info@adampumps.com | www.adampumps.com



schema elettrico - wiring diagram

MADE IN ITALY 

LIGHT TECH 40 12/24V



SCHEMA ELETTRICO

S:1 interruttore ON-OFF
M: motore
T: protezione termica
R: raddrizzatore



WIRING DIAGRAM

S1: ON-OFF switch
M: Motor
T: Circuit Breaker
R: Rectifier (in motor)



SCHALTPLÄNE

S1: ON - OFF Schalter
M: Motor
T: Temperaturschutz
R: Gleichrichter



SCHÉMAS ÉLECTRIQUES

S1: interrupteur ON-OFF
M: moteur
T: protection Thermique
R: Redresseur



ESQUEMAS ELÉCTRICOS

S1: interruptor ON-OFF
M: motor
T: protección térmica
R: rectificador



ESQUEMAS ELÉTRICOS

S1: Interruptor ON-OFF
M: Motor
T: Proteção Térmica
R: retificador



ЭЛЕКТРИЧЕСКИЕ СХЕМЫ

S1: переключатель ВКЛ-ВЫКЛ
M: Двигатель
T: Термореле
R: выпрямитель



Adam Pumps S.p.A.
via della Resistenza 46/48
41011 Campogalliano (MO) - ITALIA
tel. +39 059 528 128 | fax +39 059 528 437
info@adampumps.com | www.adampumps.com



documento - document


schemi elettrici - wiring diagrams

prodotto - product

MADE IN ITALY



LIGHT TECH 60-100



schema elettrico

wiring diagram

schaltpläne

schémas électriques

esquemas eléctricos

esquemas elétricos

электрические схемы



S:1 interruttore ON-OFF
M: motore
T: protezione termica
C: condensatore



S1: interruptor ON-OFF
M: motor
T: protección térmica
C: condensador



S1: ON-OFF switch
M: Motor
T: Circuit Breaker
C: Capacitor



S1: Interruptor ON-OFF
M: Motor
T: Proteção Térmica
C: condensador



S1: ON - OFF Schalter
M: Motor
T: Temperaturschutz
C: Kondensator



S1: переключатель ВКЛ-ВЫКЛ
M: Двигатель
T: Термореле
C: Конденсатор



S1: interrupteur ON-OFF
M: moteur
T: protection Thermique
C: condensateur



Adam Pumps S.p.A.
Soc. con Socio Unico
via della resistenza 46/48 - 41011 Campogalliano (MO) ITALIA
Tel +39 059 528128 - Fax +39 059 528437 | www.adampumps.com - info@adampumps.com